

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((disabli\$4 or deactivat\$4 or inactivat\$4)with (PLL or (phas\$2 near3 loop)))same ((oscillator or reference)near2 (clock or signal))same (power near2 (state or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:55
L2	0	"713"/\$ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:49
L3	23234	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:56
L4	2	I3 and (((disabli\$4 or deactivat\$4 or inactivat\$4)with (PLL or (phas\$2 near3 loop)))same ((oscillator or reference)near2 (clock or signal))same (power near2 (state or mode)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:50
L5	2	I3 and (((disabli\$4 or deactivat\$4 or inactivat\$4 or depower\$4)with (PLL or (phas\$2 near3 loop)))same ((oscillator or reference)near2 (clock or signal))same (power near2 (state or mode)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:56
L6	4	"6014751".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:54
L7	74640	"365"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:09
L8	0	I7 and (((disabli\$4 or deactivat\$4 or inactivat\$4 or depower\$4)with (PLL or (phas\$2 near3 loop)))same ((oscillator or reference)near2 (clock or signal))same (power near2 (state or mode)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:56

L9	0	(((disabl\$4 or deactivat\$4 or inactivat\$4 or depower\$4)with (PLL or (phas\$2 near3 loop)))same ((selecti\$4 or adapt\$5)with ((oscillator or reference)near2 (clock or signal)))same (power near2 (state or mode)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:47
L10	1	(((disabl\$4 or deactivat\$4 or inactivat\$4 or depower\$4)with (PLL or (phas\$2 near3 loop)))same ((selecti\$4 or adapt\$5 or provid\$4 or enabl\$4 or driv\$4)with ((oscillator or reference)near2 (clock or signal)))same (power near2 (state or mode)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 10:58
L11	2	I3 and (((disabl\$4 or deactivat\$4 or inactivat\$4 or depower\$4)with (PLL or (phas\$2 near3 loop)))and ((selecti\$4 or adapt\$5 or provid\$4 or enabl\$4 or driv\$4)with ((oscillator or reference)near2 (clock or signal)))same (power near2 (state or mode))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:00
L12	0	I7 and (((disabl\$4 or deactivat\$4 or inactivat\$4 or depower\$4)with (PLL or (phas\$2 near3 loop)))and ((selecti\$4 or adapt\$5 or provid\$4 or enabl\$4 or driv\$4)with ((oscillator or reference)near2 (clock or signal)))same (power near2 (state or mode))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:09
L13	6	(((disabl\$4 or deactivat\$4 or inactivat\$4 or depower\$4 or decoupl\$4)with (PLL or (phas\$2 near3 loop)))and ((selecti\$4 or adapt\$5 or provid\$4 or enabl\$4 or driv\$4 coupl\$4)with ((oscillator or reference)near2 (clock or signal)))same (power near2 (state or mode))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:01
L14	6	(((disabl\$4 or deactivat\$4 or inactivat\$4 or depower\$4 or decoupl\$4)with (PLL or (phas\$2 near3 loop)))and ((selecti\$4 or adapt\$5 or provid\$4 or enabl\$4 or driv\$4 or coupl\$4)with ((oscillator or reference)near2 (clock or signal)))same (power near2 (state or mode))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:01

L15	70900	"345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:13
L16	1	l15 and (((disabl\$4 or deactivat\$4 or inactivat\$4 or depower\$4)with (PLL or (phas\$2 near3 loop)))and ((selecti\$4 or adapt\$5 or provid\$4 or enabl\$4 or driv\$4)with ((oscillator or reference)near2 (clock or signal)))same (power near2 (state or mode))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:13
L17	62329	"375"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:13
L18	1	l17 and (((disabl\$4 or deactivat\$4 or inactivat\$4 or depower\$4)with (PLL or (phas\$2 near3 loop)))and ((selecti\$4 or adapt\$5 or provid\$4 or enabl\$4 or driv\$4)with ((oscillator or reference)near2 (clock or signal)))same (power near2 (state or mode))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:15
L19	43852	"331"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:14
L20	0	l19 and (((disabl\$4 or deactivat\$4 or inactivat\$4 or depower\$4)with (PLL or (phas\$2 near3 loop)))and ((selecti\$4 or adapt\$5 or provid\$4 or enabl\$4 or driv\$4)with ((oscillator or reference)near2 (clock or signal)))same (power near2 (state or mode))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:14
L21	10	"5822387".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:43

L22	3794	((switch\$4 or chang\$4 or selecti\$4 or alter\$5)with ((oscillator or reference)near2 (clock or signal)))same (PLL or (phas\$2 near2 loop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:57
L23	2530	((switch\$4 or chang\$4 or selecti\$4 or alter\$5)with ((oscillator or reference)near2 (clock or signal)))with (PLL or (phas\$2 near2 loop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:46
L24	21	I22 same (power near2 (mode or state))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:47
L25	3	I24 and ((disabli\$4 or deactivat\$4 or inactivat\$4 or depower\$4)with (PLL or (phas\$2 near3 loop)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:48
L26	103	I22 and ((disabli\$4 or deactivat\$4 or inactivat\$4 or depower\$4)with (PLL or (phas\$2 near3 loop)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:59
L27	686	I22 and ((provid\$4 or activat\$4 or enabl\$4 or driv\$4)with (oscillator near3 (signal or clock)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:49
L28	33	I26 and ((provid\$4 or activat\$4 or enabl\$4 or driv\$4)with (oscillator near3 (signal or clock)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:50
L29	225	(selecti\$4 or adapt\$5 or dynamic\$5)near4((switch\$4 or chang\$4 or selecti\$4 or alter\$5 or driv\$4 or output\$4 or coupl\$4)with ((oscillator or reference)near2 (clock or signal)))same (PLL or (phas\$2 near2 loop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:58

L30	0	I29 same ((disabli\$4 or deactivat\$4 or inactivat\$4 or depower\$4 or decoupl\$4)with (PLL or (phas\$2 near3 loop)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:00
L31	4	I29 and ((disabli\$4 or deactivat\$4 or inactivat\$4 or depower\$4 or decoupl\$4)with (PLL or (phas\$2 near3 loop)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:24
L32	49	"5142247".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:34
L33	15	((disabli\$4 or deactivat\$4 or inactivat\$4 or depower\$4 or decoupl\$4)near3 (PLL or (phas\$2 near3 loop)))same ((reduc\$5 or lower\$4 or minimiz\$5)near3 power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:27
L34	9	((disabli\$4 or deactivat\$4 or inactivat\$4 or depower\$4 or decoupl\$4)near3 (PLL or (phas\$2 near3 loop)))with ((reduc\$5 or lower\$4 or minimiz\$5)near3 power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:26
L35	2	"4521918".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:36
L36	25	"4521918".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:34
L37	2	"6691215".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:37

L38	0	"6691215".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:37
-----	---	-----------------	---	----	----	------------------



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide



## Nothing Found

Your search for **+abstract:disabling +abstract:phased +abstract:lock +abstract:loop abstract:OScillator abstract:signal** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

## Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)





[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

+review:disabling +review:phased +review:lock +review:loop



## Nothing Found

Your search for **+review:disabling +review:phased +review:lock +review:loop review:OScillator review:signal -review:power -review:mode** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

### Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)




[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



## Nothing Found

Your search for **+author:mizuyabu** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

## Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



Welcome United States Patent and Trademark Office

[Author Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)**OPTION 1**

Quick Find an Author:

Enter a name to locate articles written by that author.

**No Authors found beginning with letter: mizuyabu**

Example: Enter Lockett S to obtain a list of authors with the last name Lockett and the first initial S.

**OPTION 2**

Browse alphabetically

Select a letter from the list.

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE -- All Rights Reserved





Welcome United States Patent and Trademark Office

## Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(aleksic m.&lt;in&gt;au)"

Your search matched **16** of **1278046** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

e-mail
 printer friendly

## » Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information

- ☐ **1. A novel cost effective demosaicing approach**  
Lukac, R.; Plataniotis, K.N.; Hatzinakos, D.; Aleksic, M.;  
Consumer Electronics, IEEE Transactions on  
Volume 50, Issue 1, Feb 2004 Page(s):256 - 261  
Digital Object Identifier 10.1109/TCE.2004.1277871  
[AbstractPlus](#) | Full Text: [PDF\(1012 KB\)](#) IEEE JNL
- ☐ **2. Coding for the blackwell channel: a survey propagation approach**  
Wei Yu; Aleksic, M.;  
Information Theory, 2005. ISIT 2005. Proceedings. International Symposium on  
4-9 Sept. 2005 Page(s):1583 - 1587  
[AbstractPlus](#) | Full Text: [PDF\(223 KB\)](#) IEEE CNF
- ☐ **3. A low power symmetrically pulsed dual edge-triggered flip-flop**  
Nedovic, N.; Walker, W.W.; Oklobdzija, V.G.; Aleksic, M.;  
Solid-State Circuits Conference, 2002. ESSCIRC 2002. Proceedings of the 28th European  
24-26 Sept. 2002 Page(s):399 - 402  
[AbstractPlus](#) | Full Text: [PDF\(296 KB\)](#) IEEE CNF
- ☐ **4. Subsampling-based image compression prediction for memory-limited applications**  
Aleksic, M.; Kouramanis, I.;  
Electrical and Computer Engineering, 2004. Canadian Conference on  
Volume 1, 2-5 May 2004 Page(s):571 - 574 Vol.1  
[AbstractPlus](#) | Full Text: [PDF\(297 KB\)](#) IEEE CNF
- ☐ **5. Improving performance of a DSM system by the communication controller optimizations**  
Toncev, M.; Tomasevic, M.; Djordjevi, J.; Aleksic, M.;  
Electrical and Computer Engineering, 2004. Canadian Conference on  
Volume 2, 2-5 May 2004 Page(s):1035 - 1038 Vol.2  
[AbstractPlus](#) | Full Text: [PDF\(386 KB\)](#) IEEE CNF
- ☐ **6. An Improved on-line monitoring technique for a fault-tolerant computing node**  
Elahresh, M.; Djordjevic, J.; Tomasevic, W.; Aleksic, M.;  
Electrical and Computer Engineering, 2004. Canadian Conference on  
Volume 3, 2-5 May 2004 Page(s):1553 - 1556 Vol.3  
[AbstractPlus](#) | Full Text: [PDF\(463 KB\)](#) IEEE CNF
- ☐ **7. Local correlation based CFA Interpolation**  
Aleksic, M.; Lukac, R.;  
Electrical and Computer Engineering, 2004. Canadian Conference on  
Volume 2, 2-5 May 2004 Page(s):793 - 796 Vol.2

[AbstractPlus](#) | Full Text: [PDF\(514 KB\)](#) IEEE CNF

- ☐ **8. Conditional pre-charge techniques for power-efficient dual-edge clocking**  
 Nedovic, N.; Aleksic, M.; Oklobdzija, V.G.;  
 Low Power Electronics and Design, 2002. ISLPED '02. Proceedings of the 2002 International Symposium on  
 2002 Page(s):56 - 59  
[AbstractPlus](#) | Full Text: [PDF\(485 KB\)](#) IEEE CNF
  
- ☐ **9. Comparative analysis of double-edge versus single-edge triggered clocked storage elements**  
 Nedovic, N.; Aleksic, M.; Oklobdzija, V.G.;  
 Circuits and Systems, 2002. ISCAS 2002. IEEE International Symposium on  
 Volume 5, 26-29 May 2002 Page(s):V-105 - V-108 vol.5  
 Digital Object Identifier 10.1109/ISCAS.2002.1010651  
[AbstractPlus](#) | Full Text: [PDF\(432 KB\)](#) IEEE CNF
  
- ☐ **10. A bridge for a multiprocessor graphics system**  
 Balatsos, A.; Aleksic, M.;  
 Electrical and Computer Engineering, 2002. IEEE CCECE 2002. Canadian Conference on  
 Volume 2, 12-15 May 2002 Page(s):646 - 650 vol.2  
 Digital Object Identifier 10.1109/CCECE.2002.1013071  
[AbstractPlus](#) | Full Text: [PDF\(481 KB\)](#) IEEE CNF
  
- ☐ **11. Performance prediction on graphics hardware using software simulation**  
 Wong, D.W.-H.; Aleksic, M.;  
 Electrical and Computer Engineering, 2001. Canadian Conference on  
 Volume 2, 13-16 May 2001 Page(s):1235 - 1240 vol.2  
 Digital Object Identifier 10.1109/CCECE.2001.933618  
[AbstractPlus](#) | Full Text: [PDF\(484 KB\)](#) IEEE CNF
  
- ☐ **12. The impact of out-of-order message delivery on cache coherence protocols**  
 Toncev, M.; Tomasevic, M.; Dordevic, J.; Aleksic, M.;  
 Electrical and Computer Engineering, 2001. Canadian Conference on  
 Volume 1, 13-16 May 2001 Page(s):399 - 404 vol.1  
 Digital Object Identifier 10.1109/CCECE.2001.933717  
[AbstractPlus](#) | Full Text: [PDF\(600 KB\)](#) IEEE CNF
  
- ☐ **13. Conditional techniques for low power consumption flip-flops**  
 Nedovic, N.; Aleksic, M.; Oklobdzija, V.G.;  
 Electronics, Circuits and Systems, 2001. ICECS 2001. The 8th IEEE International Conference on  
 Volume 2, 2-5 Sept. 2001 Page(s):803 - 806 vol.2  
 Digital Object Identifier 10.1109/ICECS.2001.957596  
[AbstractPlus](#) | Full Text: [PDF\(280 KB\)](#) IEEE CNF
  
- ☐ **14. Research and development in e-business on the Internet**  
 Milutinovic, V.; Cvetkovic, D.; Aleksic, M.; Davidovic, G.; Dimitrijevic, Z.; Dingarac, D.; Grubic, M.; Grujic, A.; Horvat, D.; Horvat, Z.; Ikodinovic, I.; Illic, J.; Illic, N.; Jovanov, E.; Jovanovic, M.; Jovanovic, T.; Knezevic, P.; Krsmanovic, D.; Marinkovic, G.; Mihanovic, M.; Milenkovic, A.; Milicev, D.; Milicevic, M.; Milijakovic, V.; Mulutinovic, D.; Mirkovic, J.; Mitrovic, M.; Nikolic, M.; Petkovic, D.; Petkovic, Z.; Protic, J.; Protic, S.; Raskovic, D.; Savic, S.; Slijepcevic, S.; Sokic, I.; Stefanovic, M.; Tartalja, I.; Tomasevic, M.; Tomca, N.; Radunovic, B.; Vuletic, M.; Zgonjanin, S.;  
 System Sciences, 2001. Proceedings of the 34th Annual Hawaii International Conference on  
 Jan 3-6 2001 Page(s):10 pp.  
[AbstractPlus](#) | Full Text: [PDF\(104 KB\)](#) IEEE CNF
  
- ☐ **15. Timing characterization of dual-edge triggered flip-flops**  
 Nedovic, N.; Aleksic, M.; Oklobdzija, V.G.;  
 Computer Design, 2001. ICCD 2001. Proceedings. 2001 International Conference on  
 23-26 Sept. 2001 Page(s):538 - 541  
 Digital Object Identifier 10.1109/ICCD.2001.955087

[AbstractPlus](#) | Full Text: [PDF](#)(280 KB) IEEE CNF

**16. Architecture support for window environments**

Aleksic, M.; Milutinovic, V.;

System Sciences, 1992. Proceedings of the Twenty-Fifth Hawaii International Conference on

Volume i, 7-10 Jan. 1992 Page(s):506 - 514 vol.1

Digital Object Identifier 10.1109/HICSS.1992.183200

[AbstractPlus](#) | Full Text: [PDF](#)(652 KB) IEEE CNF



[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE -- All Rights Reserved

Indexed by  
 Inspec



Welcome United States Patent and Trademark Office

**Search Results**[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(( disabling pll&lt;in&gt;metadata ) &lt;and&gt; ( oscillator &lt;in&gt;metadata ) )&lt;and&gt; ( p..."

Your search matched 0 documents.

e-mail printer friendly

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

Modify Search

 >>☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

Indexed by  
 Inspec[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved



Welcome United States Patent and Trademark Office

## Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(( disabling phased lock loop&lt;in&gt;metadata ) &lt;and&gt; ( oscillator &lt;in&gt;metadata ) )&amp;l..."

e-mail
 printer friendly

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

 Display Format: 
 ☐ Citation 
 ☒ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

 Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved